

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	chiu-lawrence.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 13:18
S2	6	chiu-lawrence\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:35
S3	0	young-honesty.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 12:35
S4	15	young-honesty\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:24
S5	1496	cache same cluster\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 17:01
S6	4958	(primary or source or originat\$4 or first) near5 node same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 12:50
S7	153	(cache same cluster\$4) and ((primary or source or originat\$4 or first) near5 node same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 12:50
S8	0	(secondary or destination or second) near5 node same cache near5 (directory or list or table) same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 12:53
S9	1	((cache same cluster\$4) and ((primary or source or originat\$4 or first) near5 node same request)) and ((secondary or destination or second) near5 node and cache near5 (directory or list or table) same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 12:54

S10	24	(secondary or destination or second) near5 node and cache near5 (directory or list or table) same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 16:43
S11	0	709203,216-232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:46
S12	21051	709/203,216-232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:47
S13	2053	cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:48
S14	133	709/203,216-232.ccls. and (cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:48
S15	769	cache same (history near5 (directory or list or table or record or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:49
S16	133	709/203,216-232.ccls. and (cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:49
S17	107180	network same storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:50
S18	82	(709/203,216-232.ccls. and (cache same history)) and (network same storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:50
S19	35	((709/203,216-232.ccls. and (cache same history)) and (network same storage)) and nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:53

S20	4584	storage same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:53
S21	3	((709/203,216-232.ccls. and (cache same history)) and (network same storage)) and nodes) and (storage same cluster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 16:53
S22	1496	cache same cluster\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/27 17:01
S23	192001	receiv\$4 same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:02
S24	2134	cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:02
S25	881	(cache same cluster\$4) and (receiv\$4 same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:02
S26	39	(cache same history) and ((cache same cluster\$4) and (receiv\$4 same request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:08
S27	10	(network same storage) and ((cache same history) and ((cache same cluster\$4) and (receiv\$4 same request)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:23
S28	16001	storage near2 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:24
S29	0	maintain\$4 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:24

S30	12677	maintain\$4 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:25
S31	950	(storage near2 network) and (maintain\$4 same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:30
S32	51462	receive near2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:30
S33	471	((storage near2 network) and (maintain\$4 same cache)) and (receive near2 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:30
S34	2134	cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:09
S35	21	((storage near2 network) and (maintain\$4 same cache)) and (receive near2 request)) and (cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:53
S36	0	(maimtain\$4 same cache) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:51
S37	5289	cache same directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 17:53
S38	29	cache same directory same (storage near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:11
S39	665	cache same history same access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:10

S40	24297	storage near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:11
S41	59	(cache same history same access) and (storage near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:20
S42	1822	(access\$4 near3 (list or directory or record)) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:26
S43	187	(storage near3 network) and ((access\$4 near3 (list or directory or record)) same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:22
S44	123872	receiv\$3 near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:22
S45	142	((storage near3 network) and ((access\$4 near3 (list or directory or record)) same cache)) and (receiv\$3 near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:23
S46	53	((storage near3 network) and ((access\$4 near3 (list or directory or record)) same cache)) and (receiv\$3 near5 request)) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:23
S47	52	(access\$4 near3 (list or directory or record)) same cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:28
S48	8	(storage near3 network) and ((access\$4 near3 (list or directory or record)) same cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:26
S49	817	access\$4 same cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:28

S50	63	(storage near3 network) and (access\$4 same cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:31
S51	15	((storage near3 network) and (access\$4 same cache same history)) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 18:31
S52	146	maintain\$4 near5 cache same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 11:30
S53	7132	maintain\$4 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 11:30
S54	27485	receiv\$4 near3 request same access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:49
S55	1392	(stor\$3 or writ\$4 or sav\$4) same cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:42
S56	9768	updat\$4 same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:34
S57	1520	(maintain\$4 near5 cache) and (receiv\$4 near3 request same access\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:34
S58	93	(updat\$4 same history) and ((maintain\$4 near5 cache) and (receiv\$4 near3 request same access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:35
S59	51	((stor\$3 or writ\$4 or sav\$4) same cache same history) and ((updat\$4 same history) and ((maintain\$4 near5 cache) and (receiv\$4 near3 request same access\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:35

S60	10	((stor\$3 or writ\$4 or sav\$4) same cache same history) and ((updat\$4 same history) and ((maintain\$4 near5 cache) and (receiv\$4 near3 request same access\$4)))) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:36
S61	340	(storing or writing or saving) same cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:50
S62	9	((updat\$4 same history) and ((maintain\$4 near5 cache) and (receiv\$4 near3 request same access\$4))) and ((storing or writing or saving) same cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:43
S63	4090	receiv\$4 near3 request same access\$4 near2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:53
S64	106	(storing or writing or saving) near5 data same cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:54
S65	8	(receiv\$4 near3 request same access\$4 near2 data) and ((storing or writing or saving) near5 data same cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:51
S66	2847	receiv\$4 near3 request same access\$4 near2 data and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:53
S67	64	(storing or writing or saving) near5 data same cache same history and (network or internet oe wb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:03
S68	4	((storing or writing or saving) near5 data same cache same history and (network or internet oe wb)) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:55
S69	889	(cache near5 maintain\$3) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:27

S70	0	((cache near5 maintain\$3) and cluster) and ((storing near5 data) same cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:06
S71	80	(storing near5 data) same cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:07
S72	36	((storing near5 data) same cache same history) and (internet or web or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:15
S73	2364	(cache near5 maintain\$3) and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:13
S74	3299	(cache near5 maintain\$3) and (node or client or sever)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:14
S75	123872	receiv\$3 near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:22
S76	2174	((cache near5 maintain\$3) and (node or client or sever)) and (receiv\$3 near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:15
S77	106	((storing or writing or saving) near5 data) same cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:23
S78	1	((cache near5 maintain\$3) and (node or client or sever)) and (receiv\$3 near5 request)) and (((storing or writing or saving) near5 data) same cache same history))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:17
S79	10822	receiv\$3 near5 access near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:22

S80	340	((storing or writing or saving) same cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:24
S81	370	((cache near5 maintain\$3) and (node or client or sever)) and (receiv\$3 near5 access near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:24
S82	1	((storing or writing or saving) same cache same history)) and (((cache near5 maintain\$3) and (node or client or sever)) and (receiv\$3 near5 access near5 request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:24
S83	106	((storing or writing or saving) near5 data) same cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:25
S84	1000	((storing or writing or saving) near5 data) and cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:26
S85	821	cache near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:27
S86	2134	cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:27
S87	65	((cache near5 maintain\$3) and cluster) and (cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 13:47
S88	0	access near5 histor same directory same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 13:48
S89	22	access near5 history same directory same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 13:48

S90	4529	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 15:16
S91	49	((cache near5 maintain\$3) and cluster) and 709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 15:24
S92	2053	cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 15:47
S93	6	((cache near5 maintain\$3) and cluster) and 709/203.ccls.) and (cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 15:46
S94	7132	cache near5 maintain\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 15:47
S95	238	709/203.ccls. and (cache near5 maintain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 15:47
S96	242	cache same access near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 15:48
S97	6	709/203.ccls. and (cache same access near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:10
S98	14605	709/201-203,212,216-219,223,227. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:17
S99	0	709/201-203,212,216-219,223,227. ccls. and ((writing or storing or saving) near5 data same (cache near5 history))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:19

S10 0	38	(writing or storing or saving) near5 data same (cache near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:20
S10 1	137	(writing or storing or saving) same (cache near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:35
S10 2	3	709/201-203,212,216-219,223,227. ccls. and ((writing or storing or saving) same (cache near5 history))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:20
S10 3	112	(writing or storing or saving) same (file or data or page or information) same (cache near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:37
S10 4	3	709/201-203,212,216-219,223,227. ccls. and ((writing or storing or saving) same (file or data or page or information) same (cache near5 history))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:41
S10 5	2592	storing near2 data near2 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:42
S10 6	19	((writing or storing or saving) same (file or data or page or information) same (cache near5 history)) and (storing near2 data near2 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:43
S10 7	2772	access near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:43
S10 8	4	((((writing or storing or saving) same (file or data or page or information) same (cache near5 history)) and (storing near2 data near2 cache)) and (access near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:47
S10 9	271256	storing near5 data (based or according) near5 cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:49

S11 0	5	storing near5 data same (based or according) near5 cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:53
S11 1	5049	web same cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:53
S11 2	0	web same cach\$4.au.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 16:53
S11 3	272	web same cach\$4.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:00
S11 4	583	cache same access same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:13
S11 5	65	(web same cach\$4) and (cache same access same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:01
S11 6	378	(stor\$4 or writ\$4) same cache same access same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:17
S11 7	50	(web same cach\$4) and ((stor\$4 or writ\$4) same cache same access same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:15
S11 8	77	(stor\$4 or writ\$4) same cache same (based or according) same access same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:26
S11 9	9	(web same cach\$4) and ((stor\$4 or writ\$4) same cache same (based or according) same access same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:25

S12 0	614	(web same cach\$4) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:25
S12 1	50	((web same cach\$4) and cluster) and (access same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:26
S12 2	48619	(stor\$4 or writ\$4) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:27
S12 3	28	((web same cach\$4) and cluster) and (access same history)) and ((stor\$4 or writ\$4) same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 17:30
S12 4	192001	receiv\$4 same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 17:31
S12 5	28	((web same cach\$4) and cluster) and (access same history)) and ((stor\$4 or writ\$4) same cache)) and (receiv\$4 same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 17:31
S12 6	843	web same cach\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 10:21
S12 7	4537	web same cache\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 10:22
S12 8	5074	web same cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 10:22
S12 9	728	web same cache\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 10:22

S13 0	843	web same cach\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 10:23
S13 1	12355	cache same maintain\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 10:24
S13 2	192273	receiv\$3 same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 10:28
S13 3	35916	(writ\$3 or stor\$4) near2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 10:29
S13 4	97146	(access) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 10:30
S13 5	6669	((cache same maintain\$3) and ((access) same request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 10:31
S13 6	24991	((receiv\$3 same request) and ((writ\$3 or stor\$4) near2 request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 10:31
S13 7	2892	((cache same maintain\$3) and ((access) same request)) and ((receiv\$3 same request) and ((writ\$3 or stor\$4) near2 request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 10:31
S13 8	49	((web same cach\$4.ab.) and (((cache same maintain\$3) and ((access) same request)) and ((receiv\$3 same request) and ((writ\$3 or stor\$4) near2 request)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 10:32
S13 9	2138	cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 10:32

S14 0	9	((web same cach\$4.ab.) and (((cache same maintain\$3) and ((access) same request)) and ((receiv\$3 same request) and ((writ\$3 or stor\$4) near2 request)))) and (cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 11:06
S14 1	239	(((cache same maintain\$3) and ((access) same request)) and ((receiv\$3 same request) and ((writ\$3 or stor\$4) near2 request))) and (cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 11:07
S14 2	235	(((cache same maintain\$3) and ((access) same request)) and ((receiv\$3 same request) and ((writ\$3 or stor\$4) near2 request))) and (cache same history)) and (write or store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 11:09
S14 3	36	((((cache same maintain\$3) and ((access) same request)) and ((receiv\$3 same request) and ((writ\$3 or stor\$4) near2 request))) and (cache same history)) and (write or store)) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 11:12
S14 4	19	((((cache same maintain\$3) and ((access) same request)) and ((receiv\$3 same request) and ((writ\$3 or stor\$4) near2 request))) and (cache same history)) and (write or store)) and cluster) and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:09
S14 5	0	maintan\$3 same cach same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:10
S14 6	0	maintain\$3 same cach same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:18
S14 7	12144	request same (first or primary) near5 (node or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:12
S14 8	15099	request same (first or primary or source) near5 (node or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:13

S14 9	19462	(stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:14
S15 0	21252	(stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:15
S15 1	172	(stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server) same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 15:05
S15 2	3781	(request same (first or primary) near5 (node or server)) and ((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:17
S15 3	46	((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server) same history) and ((request same (first or primary) near5 (node or server)) and ((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:17
S15 4	1	(maintain\$3 same cach\$3 same cluster) and (((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server) same history) and ((request same (first or primary) near5 (node or server)) and ((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:18
S15 5	12698	maintain\$3 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:18
S15 6	11	((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server) same history) and ((request same (first or primary) near5 (node or server)) and ((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server)))) and (maintain\$3 same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:35

S15 7	1	(maintain\$3 same cach\$3 same cluster) and ((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server) same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:35
S15 8	4133	(stor\$3 or writ\$3) same (node or server) same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:37
S15 9	589	(request same (first or primary or source) near5 (node or server)) and ((stor\$3 or writ\$3) same (node or server) same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:38
S16 0	11	(maintain\$3 same cach\$3 same cluster) and ((stor\$3 or writ\$3) same (node or server) same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 15:11
S16 1	89	"172" and (storage near5 clusters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 14:54
S16 2	0	cache same history same directory same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:55
S16 3	165	cache same history same directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 15:04
S16 4	13	cache same history same directory and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 14:56
S16 5	299	maintain\$3 same cach\$3 same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 15:00
S16 6	30	(maintain\$3 same cach\$3 same cluster) and (access same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 15:00

S16 7	0	cache same history same directory same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 15:04
S16 8	19	((stor\$3 or writ\$3) same (second or secondary or destination) near5 (node or server) same history) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:05
S16 9	7	storing same node same access near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 15:12
S17 0	12706	maintain\$4 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:17
S17 1	1351	maintain\$4 same cache and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:18
S17 2	192400	receiv\$ same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:19
S17 3	396696	access\$4 same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:19
S17 4	12675	access\$4 same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:20
S17 5	1018	(maintain\$4 same cache and cluster) and (receiv\$ same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:20
S17 6	10030	(access\$4 same data) and (access\$4 same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:20

S17 7	98	((maintain\$4 same cache and cluster) and (receiv\$ same request)) and ((access\$4 same data) and (access\$4 same history))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:21
S17 8	936342	node or web or internet or server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 10:22
S17 9	95	((((maintain\$4 same cache and cluster) and (receiv\$ same request)) and ((access\$4 same data) and (access\$4 same history))) and (node or web or internet or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:45
S18 0	25197	select\$4 same server same (stor\$3 or writ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:03
S18 1	584	cache same access same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 12:47
S18 2	2057	cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 12:48
S18 3	187	(select\$4 same server same (stor\$3 or writ\$4)) and (cache same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 12:48
S18 4	13	(maintain\$4 same cache and cluster) and ((select\$4 same server same (stor\$3 or writ\$4)) and (cache same history))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:42
S18 5	456	select\$4 same (secon\$3 near2 server) same (stor\$3 or writ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:05
S18 6	2	(cache same history) and (select\$4 same (secon\$3 near2 server) same (stor\$3 or writ\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:05

S18 7	925	select\$4 same (second\$3 near5 server) same (stor\$3 or writ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:59
S18 8	7	(cache same history) and (select\$4 same (second\$3 near5 server) same (stor\$3 or writ\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:06
S18 9	4604	storage same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:42
S19 0	48	(select\$4 same (second\$3 near5 server) same (stor\$3 or writ\$4)) and (storage same cluster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:43
S19 1	0	(cache same history) and ((select\$4 same (second\$3 near5 server) same (stor\$3 or writ\$4)) and (storage same cluster))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:44
S19 2	27	((select\$4 same (second\$3 near5 server) same (stor\$3 or writ\$4)) and (storage same cluster)) and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:58
S19 3	107493	storage same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 13:58
S19 4	270649	select\$4 same (stor\$3 or writ\$4) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:00
S19 5	2057	cache same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:01
S19 6	9049	access same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:01

S19 7	3638	(select\$4 same (stor\$3 or writ\$4) same data) and (access same history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:02
S19 8	12355	maintain\$3 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:02
S19 9	373	((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:02
S20 0	174766	receiv\$ same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:03
S20 1	245	((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:03
S20 2	168763	(writ\$3 or stor\$3 or updat\$3 or modif\$3) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:05
S20 3	236	((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:06
S20 4	169	((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)) and (server or node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:07
S20 5	168	((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)) and (server or node)) and (first or primary or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 14:19

S20 6	44	(((((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)) and (server or node)) and (first or primary or source)) and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:31
S20 7	34389	"44" and (storage same network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:09
S20 8	41	(((((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)) and (server or node)) and (first or primary or source)) and cluster) and (storage same network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:09
S20 9	37	(((((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)) and (server or node)) and (first or primary or source)) and cluster) and request same primary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:25
S21 0	0	"44" and (first near5 serever)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:32
S21 1	0	(((((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)) and (server or node)) and (first or primary or source)) and cluster) and (first near5 serever)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:32

S21 2	33	(((((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)) and (server or node)) and (first or primary or source)) and cluster) and (first near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:32
S21 3	25	(((((select\$4 same (stor\$3 or writ\$4) same data) and (access same history)) and (maintain\$3 same cache)) and (receiv\$ same request)) and ((writ\$3 or stor\$3 or updat\$3 or modif\$3) same request)) and (server or node)) and (first or primary or source)) and cluster) and (request same (first near5 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:33
S21 4	844	web same cach\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:39
S21 5	19	(web same cach\$4.ab.) and lock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:42
S21 6	4607	storage same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:42
S21 7	2752	lock same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:42
S21 8	141	(storage same cluster) and (lock same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:43
S21 9	131	((storage same cluster) and (lock same node)) and fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:44

S22 0	16836	(multiple or many or several) near3 read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:58
S22 1	54	((storage same cluster) and (lock same node)) and fail\$4) and ((multiple or many or several) near3 read)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:45
S22 2	219	(multiple or many or several) near3 read same lock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 13:59
S22 3	7	((storage same cluster) and (lock same node)) and fail\$4) and ((multiple or many or several) near3 read same lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:15
S22 4	15	(storage same cluster) and ((multiple or many or several) near3 read same lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 19:10
S22 5	401	(detect near5 failure) same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:36
S22 6	40	(storage same cluster) and ((detect near5 failure) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:19
S22 7	193	failover same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:20
S22 8	5	((storage same cluster) and ((detect near5 failure) same node)) and (failover same message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:23
S22 9	0	broadcast same failover same message same (nodes or servers or computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:25

S23 0	10	broadcast same failover same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:25
S23 1	213	failover same recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:52
S23 2	7	((detect near5 failure) same node) and (failover same recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:33
S23 3	401	(detect near5 (failure or mulfunction)) same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:43
S23 4	499	(detect or identify or perceive or spot or distinguish) near5 (failure or mulfunction) same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:45
S23 5	10	(failover same recovery) and ((detect or identify or perceive or spot or distinguish) near5 (failure or mulfunction) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:47
S23 6	79	failover same recovery same (nodes or servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:53
S23 7	79	failover same recovery same (nodes or servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 17:47
S23 8	0	failover same recovery same (nodes or servers) same (broadcast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:54
S23 9	3	failover same recovery same (nodes or servers) same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:54

S24 0	7	((detect or identify or perceive or spot or distinguish) near5 (failure or mulfunction) same node) and (failover same recovery same (nodes or servers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 16:59
S24 1	18707	(broadcast\$4 or transmit\$3 or send\$3) same failure same (message or warning or command or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 17:49
S24 2	845	(broadcast\$4 or transmit\$3 or send\$3) same failure same (message or warning or command or signal) same recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 17:49
S24 3	52	((broadcast\$4 or transmit\$3 or send\$3) same failure same (message or warning or command or signal) same recovery) and failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 17:50
S24 4	1077	(detect or identify or perceive or spot or distinguish) same (failure or mulfunction) same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 08:34
S24 5	45	(broadcast%3 or transmit\$3 or send\$3) same failover same recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 08:42
S24 6	8	((detect or identify or perceive or spot or distinguish) same (failure or mulfunction) same node) and ((broadcast%3 or transmit\$3 or send\$3) same failover same recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 08:37
S24 7	7	(broadcast%3 or transmit\$3 or send\$3) same failover same recovery same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 13:01
S24 8	1279	broadcast\$3 same recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:40
S24 9	80	broadcast\$3 near2 recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:17

S25 0	4	((detect or identify or perceive or spot or distinguish) same (failure or malfunction) same node) and (broadcast\$3 near2 recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 08:52
S25 1	3	broadcast\$3 near2 failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:19
S25 2	419	broadcast\$3 and failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 09:19
S25 3	19	((detect or identify or perceive or spot or distinguish) same (failure or malfunction) same node) and (broadcast\$3 and failover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 10:13
S25 4	0	recover\$4 near2 broadcast\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 10:14
S25 5	272	recover\$4 near2 broadcast\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 10:15
S25 6	1	failover same recover\$4 near2 broadcast\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 10:15
S25 7	18	(failover or failure or fault) same recover\$4 near2 broadcast\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 10:16
S25 8	131	destage same disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:09
S25 9	1	(recover\$4 near2 broadcast\$4) and (destage same disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:10

S26 0	3	(broadcast\$3 and failover) and (destage same disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:13
S26 1	1	(broadcast\$3 same recovery) and (destage same disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:14
S26 2	1	((detect or identify or perceive or spot or distinguish) same (failure or mulfuction) same node) and (destage same disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:14
S26 3	97	(destage same disk) and fail\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:27
S26 4	95	((destage same disk) and fail\$4) and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:17
S26 5	16	((destage same disk) and fail\$4) and cach\$3) and nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 11:17
S26 6	7	(destage same disk) and fail\$1over	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:27
S26 7	2	broadcast\$3 same recovery same fail\$1over	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:43
S26 8	75	(broadcast\$3 or transmit\$3 or send\$3) same recovery same fail\$1over	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 12:44
S26 9	20	(broadcast\$3 or transmit\$3 or send\$3) same recovery same fail\$1over same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:47

S27 0	2936	recover\$3 near2 messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 13:04
S27 1	4615	storage same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 13:02
S27 2	32	(recover\$3 near2 messag\$3) and (storage same cluster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 13:02
S27 3	1	fail\$1over near2 recover\$3 near2 messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 13:05
S27 4	3	fail\$1over near5 recover\$3 near2 messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 13:06
S27 5	4	broadcast\$3 adj5 fail\$1over	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 13:07
S27 6	2	(broadcast\$3 or transmit\$3 or send\$3) near2 recovery same fail\$1over same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:47
S27 7	2	(broadcast\$3 or transmit\$3 or send\$3) near5 recovery same fail\$1over same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:48
S27 8	20	(broadcast\$3 or transmit\$3 or send\$3) same recovery same fail\$1over same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 14:48
S27 9	5915	711/100,114,118,152,154,162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 19:11

S28 0	235	fail\$1over near5 recover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 19:12
S28 1	14	711/100,114,118,152,154,162.ccls. and (fail\$1over near5 recover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/03 19:12
S28 2	6311	storage same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:42
S28 3	13912	maintain\$4 same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:42
S28 4	562	S282 and S283	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:43
S28 5	116154	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:45
S28 6	409	S284 and S285	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:45
S28 7	4786	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or updat\$4) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:42
S28 8	198	S284 and S287	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:46
S28 9	14272	access near5 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:47

S29 0	8	S288 and S289	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:04
S29 1	6415	S283 and S285	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:04
S29 2	4249771	receiv\$ nea5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:05
S29 3	6208	S291 and S292	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:05
S29 4	884	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or updat\$4) near5 cache same (secon\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:34
S29 5	576	S293 and S294	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:08
S29 6	32	S289 and S295	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:08
S29 7	115	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or updat\$4) near5 cache adj5 (secon\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:45
S29 8	80	S293 and S297	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:35
S29 9	2	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or updat\$4) near5 cache adj5 (secon\$4) adj cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:43

S30 0	7	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or updat\$4) near5 cache adj5 (secon\$4) adj5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:42
S30 1	5754	cache near5 coheren\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:43
S30 2	203	S282 and S301	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:43
S30 3	142	S283 and S302	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:44
S30 4	141	S292 and S303	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:44
S30 5	4786	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or updat\$4) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:45
S30 6	63	S304 and S305	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:45
S30 7	4	S289 and S306	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:46
S30 8	29	stor\$3 near5 (modified or updated) adj5 (secon\$4) adj3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:49
S30 9	12	stor\$3 near5 (modified or updated) near5 data adj5 (secon\$4) adj3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:01

S31 0	1315	symbolic near5 information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 15:05
S31 1	489	symbolic near5 information same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 15:03
S31 2	8	S282 and S311	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 15:03
S31 3	31	symbolic near5 information same (modified or updated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:13
S31 4	1	symbolic near5 information same (modified or updated) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 15:12
S31 5	0	histor\$3 near5 list near5 identif\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 15:29
S31 6	22	histor\$3 near5 list near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 15:44
S31 7	17	histor\$3 near5 identif\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 15:44
S31 8	5923	symbolic near5 information identif\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:14
S31 9	0	symbolic near5 information near5 identif\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:14

S32 0	0	symbolic near5 information same identif\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:14
S32 1	4	symbolic near5 information near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:16
S32 2	10	symbolic near5 information near5 identify	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:16
S32 3	130	symbolic near5 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:26
S32 4	3	symbolic near5 node near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:25
S32 5	2	symbolic near5 node near5 (modif\$4 or updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:27
S32 6	3403	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or alter\$3 or chang\$4) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:42
S32 7	24	(stor\$3 or writ\$4 or sav\$4) near5 (modif\$4 or alter\$4 or chang\$3) adj5 (secon\$4) adj cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:45
S32 8	2287	storage near5 cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:19
S32 9	6311	storage same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:19

S33 0	3434	access near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:24
S33 1	64	S329 and S330	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:53
S33 2	4951	(modified or updated or altered or canged) near2 (data or information) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:36
S33 3	25	S331 and S332	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:21
S33 4	14272	access near5 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:25
S33 5	281	S329 and S334	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:25
S33 6	19	S332 and S335	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:25
S33 7	461	(modified or updated or altered or canged) near2 (data or information) same (second\$4) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:37
S33 8	1	S331 and S337	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:50
S33 9	82024	(modified or updated) near2 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:55

S34 0	44	S331 and S339	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 15:03
S34 1	0	(maintain\$4 near5 cache near5 cluster).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:04
S34 2	7	(maintain\$4 near5 cache near5 cluster).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:06
S34 3	59	(maintain\$4 near5 cache near5 cluster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:10
S34 4	17	(tramit\$3 or forward\$3 or cop\$4 or send\$3 or output\$3) near5 (modified or updated or changed or altered) near5 (information or data) near5 (second\$3 or next or another or other) near2 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 15:17
S34 5	151	storing near5 (modified or updated) near5 data near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:19
S34 6	16	S329 and S345	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:22
S34 7	2384	maintain\$3 near5 cache near5 coherenc\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:23
S34 8	85	S329 and S347	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:30
S34 9	1315	symbolic near5 information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:00

S350	25	S329 and S349	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:49
S351	2	S347 and S349	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:49
S352	7	symbolic near5 identif\$4 near5 nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:57
S353	214829	storage near5 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:58
S354	297	S349 and S353	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:58
S355	1	S347 and S354	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:59
S356	297	S354 and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:03
S357	808	S347 and S353	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:03
S358	101	S357 and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:05
S359	2414	symbolic near5 (information or address or link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:09

S36 0	83	S329 and S359	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:09
S36 1	3	S347 and S360	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:10
S36 2	6	S360 and coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:16
S36 3	3955	nodes near5 contain\$3 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:17
S36 4	13	nodes near5 contain\$3 near5 ((modified or updated or changed or altered) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:24
S36 5	3058	access near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:27
S36 6	116	S365 and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:27
S36 7	113	access near5 cache near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:43
S36 8	1	S367 and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:27
S36 9	735	identif\$3 near5 nodes near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:44

S37 0	11	identif\$3 near5 nodes near5 (modified or updated) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:46
S37 1	81	identif\$3 near5 (nodes or cache) near5 (modified or updated) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 17:04
S37 2	29	directory near5 cache near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 17:06
S37 3	3558	711/111-114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 13:18
S37 4	6683	maintain\$3 near5 coheren\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 13:19
S37 5	112	S373 and S374	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 13:19
S37 6	10484	(modif\$3 or updat\$3) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 13:20
S37 7	58	S375 and S376	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 14:29
S37 8	105970	(access) near5 (time or history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 14:36
S37 9	1176	S373 and S378	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 14:30

S38 0	46	S374 and S379	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 14:30
S38 1	3058	(access) near5 (history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 14:36
S38 2	78	S374 and S381	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:11
S38 3	28	S382 and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:17
S38 4	957	711/141.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:18
S38 5	28	S384 and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:27
S38 6	1118	711/161-162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:25
S38 7	52	S374 and S386	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:25
S38 8	2	S387 and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:26
S38 9	2	S381 and S387	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:27

S390	290	(web same cach\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:27
S391	7	S390 and symbolic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:31
S392	5566	symbolic near5 (message or information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:32
S394	51210	(storage same system).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:33
S395	39	S392 and S394	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/15 15:43
S396	19	S373 and S392	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 09:43
S397	76	access near5 history same directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:14
S398	3059	access near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:14
S399	9190	(access\$3 or modif\$7 or updat\$3) near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:16
S400	5626	cache near5 coheren\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:16

S40 1	227	S399 and S400	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:17
S40 2	10260	711/111-146.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:18
S40 3	67	S401 and S402	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:39
S40 4	473	(stor\$3 or writ\$3 or cop\$3 or sav\$3) near5 (modified or updated or altered or changed) near5 caches	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:42
S40 5	3	S399 and S404	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 11:55
S40 6	25	S404 and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:03
S40 7	39	"2178205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:08
S40 8	5	"2178205".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/16 12:04
S40 9	5	S407 and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:22
S41 0	957	711/141.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:22

S41 1	108126	access near5 (history or time or date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 11:30
S41 2	342	S410 and S411	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:24
S41 3	256012	(stor\$3 or writ\$3 or cop\$4) near5 (updat\$3 or modif\$3 or chang\$3 or alter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:25
S41 4	278	S412 and S413	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:27
S41 5	3919	cache near5 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:27
S41 6	125	S414 and S415	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:28
S41 7	215234	storage near5 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:28
S41 8	46	S416 and S417	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:28
S41 9	7018	access near5 (history or date or point-in-time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 11:31
S42 0	53559	(writ\$3 or modif\$4 or updat\$3 or stor\$4) near5 (history or date or point-in-time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:01

S42 1	3032	S419 and S420	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 11:34
S42 2	1118	711/161-162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 11:34
S42 3	30	S421 and S422	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 11:42
S42 4	12	S423 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 11:47
S42 5	55	S415 and S421	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 11:47
S42 6	21663	(writ\$3 or modif\$4 or updat\$3 or stor\$4) near5 (history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:02
S42 7	139	S415 and S426	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:03
S42 8	4	S422 and S427	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:07
S42 9	957	711/141.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:07
S43 0	15	S427 and S429	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:49

S43 1	38961	(identif\$3 or select\$3) near5 (node or computer or server) near5 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:52
S43 2	1436	S426 and S431	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:53
S43 3	5	S429 and S432	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 13:32
S43 4	0	storge near2 cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 13:33
S43 5	879	storage near2 cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:38
S43 6	7782	maintain\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 13:35
S43 7	96	S435 and S436	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 13:35
S43 8	9015	(input/output or I/O) near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 13:35
S43 9	25	S437 and S438	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 13:36
S44 0	2	S439 and (history or point-in-time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 13:37

S44 1	31039	(modif\$3 or updat\$3) near5 (data or information) same (access or past or previous near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 14:26
S44 2	510	(modif\$3 or updat\$3) near5 (data or information) same ((access or past or previous) near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:03
S44 3	18	(storing or writing or copying) near5 (modif\$3 or updat\$3) near5 (data or information) same ((access or past or previous) near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:15
S44 4	1	S443 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 14:53
S44 5	113	access near5 directory same (history or LRU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 14:55
S44 6	72	S445 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 14:55
S44 7	1	(modif\$3 or updat\$3) near5 (data or information) same ((access or past or previous) near5 history) near5 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:04
S44 8	22	(modif\$3 or updat\$3) near5 (data or information) same (((access or past or previous) near5 history) or LRU) near5 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:11
S44 9	8	(stor\$3 or writ\$3) near5 (modif\$3 or updat\$3) near5 (data or information) same (((access or past or previous) near5 history) or LRU) near5 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:14
S45 0	876	(storing or writing or copying) near5 (modif\$3 or updat\$3) near5 (data or information) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:15

S45 1	183	(storing or writing or copying) near5 (modif\$3 or updat\$3) near5 (data or information) same caches	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:16
S45 2	123	S451 and ((lru or (access history)) same (directory or list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:18
S45 3	0	S451 and ((lru or (access history)) same (directory or list or table) same cach)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:19
S45 4	108	S451 and ((lru or (access history)) same (directory or list or table) same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:22
S45 5	16	S451 and ((lru or (access near5 history)) same (directory or list or table) same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:22
S45 6	9015	(input/output or I/o) near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:44
S45 7	18981	request near5 (modif\$4 or updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:59
S45 8	992	S456 and S457	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:45
S45 9	7555	(access near5 history) or lru	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:45
S46 0	94	S458 and S459	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:46

S46 1	215234	storage near5 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:46
S46 2	72	S460 and S461	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:46
S46 3	11771	request near2 (modif\$4 or updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:00
S46 4	45	S462 and S463	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:15
S46 5	3459	(storing or writing) near5 (modified or updated) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:23
S46 6	192	S459 and S465	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:17
S46 7	22	S438 and S466	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:17
S46 8	596	(storing or writing) near5 (modified or updated) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:44
S46 9	190	S459 and S468	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:23
S47 0	21	S438 and S469	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:34

S47 1	1118	711/161-162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:35
S47 2	63	S459 and S471	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:35
S47 3	6	S438 and S472	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:35
S47 4	1878	storage near5 cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:39
S47 5	152	S438 and S474	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:39
S47 6	1	S445 and S475	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:40
S47 7	11	S475 and lru	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:46
S47 8	155	(storing or writing) near5 (modified or updated) near5 ((second\$3 near5 cache) or caches)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:50
S47 9	16	S478 and lru	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:46
S48 0	14	(storing or writing) near2 (modified or updated) near5 ((second\$3 near5 cache) or caches) and lru	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:52

S48 1	0	(web near2 cach\$3).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:53
S48 2	158	(web near2 cach\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 16:53
S48 3	19	S482 and lru	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 17:41
S48 4	2	S483 and symbol\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 17:39
S48 5	31	storing adj5 data adj5 secondary near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 17:42
S48 6	66994	(identif\$3 or select\$3) near5 (node or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:30
S48 7	3974	(identif\$3 or select\$3) near5 (node or server) near5 (contain\$3 or stor\$3 or hav\$3) near5 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:19
S48 8	3472	maintain near5 coheren\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:33
S48 9	60	S487 and S488	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:33
S49 0	13	symbol\$3 near5 (identif\$3 or select\$3) near5 (node or server) near5 (contain\$3 or stor\$3 or hav\$3) near5 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 11:44

S49 1	2	messag\$3 near5 (identif\$3 or select\$3) near5 (node or server) near5 (contain\$3 or stor\$3 or hav\$3) near5 ((modif\$3 or updat\$3 or chang\$3 or alter\$3) near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:48
S49 2	0	(identif\$3 or select\$3) near5 (primary near5 secon\$3) near2 (node or server) near5 (contain\$3 or stor\$3 or hav\$3) near5 ((modif\$3 or updat\$3 or chang\$3 or alter\$3) near2 (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:49
S49 3	737	URL near5 servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:50
S49 4	1	URL near5 servers near5 (modified or updated or changed) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:13
S49 5	7410	"domain name service" or DNS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:14
S49 6	175	S487 and S495	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:25
S49 7	1	S488 and S496	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:14
S49 8	52	S496 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 12:23
S49 9	36	(identif\$3 or select\$3) near5 (node or server) near5 (contain\$3 or stor\$3 or hav\$3) near5 (modified or updated or changed or altered) near2 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:36

S50 0	42	S496 and symbol\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:25
S50 1	14	(identif\$3 or select\$3) near5 (nodes or servers) near5 (contain\$3 or stor\$3 or hav\$3) near5 (modified or updated or changed or altered) near2 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:48
S50 2	98936	(modified or updated or changed or altered) near2 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:48
S50 3	1208	S495 and S502	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:49
S50 4	8	S500 and S503	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:49
S50 5	1	symbolic near5 identifies near5 (nodes or servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:57
S50 6	79	symbolic near5 identifies	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:07
S50 7	2	message near5 nodes near5 ((modified or updated) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:09
S50 8	701	message near5 ((modified or updated) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:10
S50 9	130	S508 and symbol\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:16

S51 0	437	(nodes or servers) near5 (contain\$3 or stor\$3) near5 (modified or updated or changed or altered)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:24
S51 1	71	S510 and symbol\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:22
S51 2	16	identif\$3 near5 (nodes or servers) near5 (contain\$3 or stor\$3) near5 (modified or updated or changed or altered)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:32
S51 3	4	(symbol\$3 or label or character\$3) near5 identif\$3 near5 (nodes or servers) near5 (contain\$3 or stor\$3) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:34
S51 4	923	(web same cach\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:40
S51 5	3994	(servers or nodes) near5 locations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:41
S51 6	17	S514 and S515	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:41
S51 7	5549	(table or directory) near5 identif\$3 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:58
S51 8	45	symbol\$3 near5 (table or directory) near5 identif\$3 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:02
S51 9	45	(symbol\$3 or lable) near5 (table or directory) near5 identif\$3 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:03

S52 0	1	S514 and S519	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:03
S52 1	0	(symbol\$3 or lable) near5 (table or directory) near5 identif\$3 near5 data near5 (nodes or servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:04
S52 2	0	(symbol\$3 or lable) near5 identif\$3 near5 data near5 (nodes or servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:05
S52 3	1485	711/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 07:56
S52 4	33648	cache near5 stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 07:57
S52 5	600	S523 and S524	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 07:57
S52 6	72	S525 and coheren\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 08:54
S52 7	1835	access near2 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 08:55
S52 8	11	S523 and S527	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 09:04
S52 9	5795	(web same cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 09:04

S53 0	74	S527 and S529	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 09:09
S53 1	273989	(updat\$3 or modif\$3 or chang\$3) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 09:10
S53 2	40	S530 and S531	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 09:10
S53 3	483	replicat\$3 same (modified or updated) near2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 11:05
S53 4	162	S533 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 11:05
S53 5	40	S534 and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 11:30
S53 6	3224	messag\$3 near5 (updat\$3 or modif\$3) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 11:31
S53 7	633	messag\$3 near5 (identif\$3 or modif\$3) near5 (updat\$3 or modif\$3) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 11:32
S53 8	142	S537 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 11:32
S53 9	25	S538 and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 11:33

S54 0	94	selec\$3 near5 node near5 ((updat\$3 or modif\$3 or changed) near2 (data or information or object or page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 11:55
S54 1	127	selec\$3 near5 server near5 ((updat\$3 or modif\$3 or changed) near2 (data or information or object or page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 11:59
S54 2	48	S541 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 12:00
S54 3	1532	stor\$3 near5 server near5 ((updat\$3 or modif\$3 or changed) near2 (data or information or object or page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 11:59
S54 4	358	S543 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 12:00
S54 5	11	S541 and S544	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 12:00
S54 6	18482	(forward\$3 or transmit\$3) near5 (modified or updated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 12:26
S54 7	3925	cache near5 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 12:27
S54 8	170	S546 and S547	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 12:28
S54 9	111	S548 and coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 12:40

S55 0	1	S549 and (access near5 history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 12:44
S55 1	120	S529 and S536	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 12:45
S55 2	109	S551 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 12:45
S55 3	42	S552 and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 12:49
S55 4	1	selecting near5 (node or server or cache) near5 (storing or writing) near5 (modified or updated or changed) near5 (data or information or data or object or page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/22 12:53
S55 5	1164	storing near5 (modified or updated) same second\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 12:55
S55 6	13	S529 and S555	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 13:02
S55 7	79428	rou\$3 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 13:02
S55 8	468	rou\$3 near5 (modified) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 13:02
S55 9	105	S558 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 13:03

S56 0	18	S559 and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/22 13:03
S56 1	1179	request near5 (modifying or updating or changing) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:36
S56 2	47	S561 and (cache near5 coherency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:08
S56 3	1984	request near5 (modifying or updating or changing) near5 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:36
S56 4	8152	maintain\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:37
S56 5	3132	(storing or writng or saving) near5 (data or information or page or object or blocks) same (primary or first) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:39
S56 6	2300	(storing or writng or saving) near5 (data or information or page or object or blocks) same (seconary or second or other) same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:41
S56 7	34277	(forwarding or transmitting or outputing or sending or routing) same (modified or updated or changed or altered) same (data or information or object or pages or blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:44
S56 8	1920	S565 and S566	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:44
S56 9	192	S567 and S568	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:44

S57 0	90	S564 and S569	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:41
S57 1	2	S563 and S570	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:45
S57 2	0	S570 and differntial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:01
S57 3	8	S570 and differential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:06
S57 4	3441	remote near5 copy\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:07
S57 5	349	remote same copy\$3.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:07
S57 6	2	S575 and (cache near5 coherency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:08
S57 7	866	request near5 (modifying or updating) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:38
S57 8	8461	replicat\$3 near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:39
S57 9	40	S577 and S578	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:44

S58 0	3	S579 and (maintain\$3 near5 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 12:45
S58 1	4	S579 and (maintain\$3 same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 13:09
S58 2	1	S570 and S577	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:08
S58 3	1498	(input/output or I/o) near5 request near5 writ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:48
S58 4	394	S583 and (maintain\$3 same cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 13:10
S58 5	98	S584 and RAID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 13:10
S58 6	22	S570 and (i/o same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:41
S58 7	313	(input/output or I/o) near5 request near5 (modif\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:58
S58 8	45	S584 and S587	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:54
S58 9	8	S588 and replicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:57

S59 0	290	(web same cach\$3).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:58
S59 1	0	S587 and S590	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:58
S59 2	22093	request near5 (modif\$3 or updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:59
S59 3	31	S590 and S592	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:59
S59 4	232	receiv\$3 near5 I/o near5 request same (modifying or updat\$3 or writ\$3) near5 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:13
S59 5	160	S594 and (storing near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:13
S59 6	25	S594 and (storing near5 data near5 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:18
S59 7	0	i/o near5 request near5 storage adj (cluster or RAID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:19
S59 8	53	i/o near5 request near5 ((storage adj cluster) or RAID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:24
S59 9	25092	(updat\$3 or writ\$3 or modif\$3) near2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:37

S60 0	1478	711/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:26
S60 1	583	S599 and S600	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:27
S60 2	583	S601 and (i/io request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:37
S60 3	109	S602 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:38
S60 4	8	S603 and coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:28
S60 5	11474	(updat\$3 or modif\$3) near2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:06
S60 6	11474	S605 and (i/io request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:46
S60 7	107	S600 and S606	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:38
S60 8	19	S607 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:47
S60 9	348	S605 and (I/O NEAR2 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:06

S61 0	117	S609 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:07
S61 1	30	S610 and coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:48
S61 2	77	(updat\$3 or modif\$3) near2 request near5 primary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:07
S61 3	77	S606 and S612	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 14:49
S61 4	2205	(updating or modifying) near2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:06
S61 5	57	S614 and (I/O NEAR2 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:06
S61 6	26	S615 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:07
S61 7	7	(updating or modifying) near2 request near5 primary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:12
S61 8	6	S600 and S612	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:13
S61 9	30	access near2 (list or table) same identif\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:01

S62 0	1105799	access nadj3 (time or history) same identif\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:02
S62 1	70	access adj3 (time or history) same identif\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:03
S62 2	0	access adj3 (time or history) same identif\$3 near5 cache near5 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:04
S62 3	33	access adj3 (time or history) same identif\$3 near5 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:05
S62 4	180	access near3 (point or history) same identif\$3 near5 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:38
S62 5	56	S624 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:06
S62 6	33	S625 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:06
S62 7	180	access near3 (point or history or time-stamp) same identif\$3 near5 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:41
S62 8	1	S600 and S627	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:40
S62 9	56	S627 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:40

S63 0	1	(access near3 (history or time-stamp) or "point of access") same identif\$3 near5 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 17:44
S63 1	1486	711/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 09:35
S63 2	584	S631 and (write near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 09:35
S63 3	106	S632 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 09:35
S63 4	1486	711/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:05
S63 5	3766	(replicat or copy\$3) same nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:57
S63 6	40	S634 and S635	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:48
S63 7	927	(replicating or copying) same nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:59
S63 8	6	S634 and S637	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:58
S63 9	189	(replicating or copying) near2 data same nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:00

S64 0	61	S639 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:00
S64 1	957	711/162.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:05
S64 2	14	S639 and S641	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:05